



# **STIC Search Report**

## **Biotech-Chem Library**

STIC Database Tracking Number: 101175

**TO: Shailendra Kumar**  
**Location: 7a07 / 7e12**  
**Sunday, August 17, 2003**  
**Art Unit: 1621**  
**Phone: 308-4519**  
**Serial Number: 10 / 182916**

**From: Jan Delaval**  
**Location: Biotech-Chem Library**  
**CM1-1E07**  
**Phone: 308-4498**  
**jan.delaval@uspto.gov**

### **Search Notes**

Jan Delaval  
Reference Librarian  
Biotechnology & Chemical Library  
CM1 1E07 - 703-308-4498  
jan.delaval@uspto.gov



# STIC SEARCH RESULTS

## Biotech-Chem Library

Questions about the scope or the results of the search? Contact *the searcher or contact*:

Mary Hale, Information Branch Supervisor  
308-4258, CM1-1E01

## Voluntary Results Feedback Form

➤ I am an examiner in Workgroup:  Example: 1610

➤ Relevant prior art **found**; search results used as follows: --

- ☐ 102 rejection
- ☐ 103 rejection
- ☐ Cited as being of interest.
- ☐ Helped examiner better understand the invention.
- ☐ Helped examiner better understand the state of the art in their technology.

Types of relevant prior art found:

- ☐ Foreign Patent(s)
- ☐ Non-Patent Literature  
(journal articles, conference proceedings, new product announcements etc.)

➤ Relevant prior art **not found**:

- ☐ Results verified the lack of relevant prior art (helped determine patentability).
- ☐ Results were not useful in determining patentability or understanding the invention.

Comments:

Drop off or send completed forms to STIC/Biotech-Chem Library CM1 - Circ. Desk



=> fil reg

FILE 'REGISTRY' ENTERED AT 16:11:44 ON 17 AUG 2003  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
 provided by InfoChem.

STRUCTURE FILE UPDATES: 15 AUG 2003 HIGHEST RN 567484-39-3  
 DICTIONARY FILE UPDATES: 15 AUG 2003 HIGHEST RN 567484-39-3

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2003





Please note that search-term pricing does apply when  
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP  
 PROPERTIES for more information. See STNote 27, Searching Properties  
 in the CAS Registry File, for complete details:  
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> d\_sta que l8

L1 STR








VAR G1=H/OH/AK/26/X/41/36  
 NODE ATTRIBUTES:  
 CONNECT IS M1 RC AT 20  
 DEFAULT MLEVEL IS ATOM  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
 RSPEC 8 3 30 37  
 NUMBER OF NODES IS 38

STEREO ATTRIBUTES: NONE  
 L3 5155 SEA FILE=REGISTRY CSS FUL L1  
 L4 STR

Jan Delavai  
 Reference Librarian  
 Biotechnology & Chemical Library  
 Call 1E07 - 703-308-4498  
[jan.delavai@uspto.gov](mailto:jan.delavai@uspto.gov)



VAR G1=H/OH/AK/26/X/41/36

VAR G2=NH2/43

NODE ATTRIBUTES:

CONNECT IS E1 RC AT 44

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RSPEC 8 3 30 37

NUMBER OF NODES IS 40

STEREO ATTRIBUTES: NONE

L6 SCR 2043 OR 2039 OR 2050 OR 2049 OR 2048 OR 2053 OR 2054

L8 239 SEA FILE=REGISTRY SUB=L3 SSS FUL L4 NOT L6


100.0% PROCESSED 3867 ITERATIONS

239 ANSWERS

SEARCH TIME: 00.00.01

=> d sta que l12



L1 STR



VAR G1=H/OH/AK/26/X/41/36  
 NODE ATTRIBUTES:  
 CONNECT IS M1 RC AT 20  
 DEFAULT MLEVEL IS ATOM  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
 RSPEC 8 3 30 37  
 NUMBER OF NODES IS 38

STEREO ATTRIBUTES: NONE  
 L3 5155 SEA FILE=REGISTRY CSS FUL L1  
 L10 STR



VAR G1=H/OH/AK/26/X/41/36

VAR G2=NH/51  
NODE ATTRIBUTES:  
DEFAULT MLEVEL IS ATOM  
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
RSPEC 30 37 6 8  
NUMBER OF NODES IS 46


STEREO ATTRIBUTES: NONE  
L12 4 SEA FILE=REGISTRY SUB=L3 SSS FUL L10

100.0% PROCESSED 1269 ITERATIONS  
SEARCH TIME: 00.00.01

4 ANSWERS

=> d ide can tot l12

L12 ANSWER 1 OF 4 REGISTRY COPYRIGHT 2003 ACS on STN  
RN 347895-01-6 REGISTRY  
CN Butanamide, N-(1-methylethyl)-3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)  
OTHER NAMES:  
CN N-Isopropyl-N-[4-(phenylamino)phenyl]-3-oxobutyramide  
FS 3D CONCORD  
MF C19 H22 N2 O2  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, USPATFULL




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1937 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 135:152620

REFERENCE 2: 135:77736

L12 ANSWER 2 OF 4 REGISTRY COPYRIGHT 2003 ACS on STN  
RN 38971-14-1 REGISTRY  
CN Butanamide, 3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)  
OTHER NAMES:  
CN 4-(Acetoacetamido)diphenylamine  
CN 4-(Acetoacetylamine)diphenylamine  
CN N-[4-(Phenylamino)phenyl]-3-oxobutyramide  
FS 3D CONCORD  
MF C16 H16 N2 O2  
LC STN Files: BEILSTEIN\*, CA, CAPLUS, CASREACT, CHEMCATS, IFICDB, IFIPAT, IFIUDB, TOXCENTER, USPATFULL  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

4 REFERENCES IN FILE CA (1937 TO DATE)  
4 REFERENCES IN FILE CAPLUS (1937 TO DATE)


REFERENCE 1: 135:152620

REFERENCE 2: 135:77736

REFERENCE 3: 78:33932

REFERENCE 4: 77:130594

L12 ANSWER 3 OF 4 REGISTRY COPYRIGHT 2003 ACS on STN  
RN 21684-06-0 REGISTRY  
CN Hexananilide, 2-acetyl-4'-anilino- (8CI) (CA INDEX NAME)  
FS 3D CONCORD  
MF C20 H24 N2 O2  
LC STN Files: CA, CAPLUS, IFICDB, IFIPAT, IFIUDB




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1937 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 70:68180

L12 ANSWER 4 OF 4 REGISTRY COPYRIGHT 2003 ACS on STN  
RN 21684-02-6 REGISTRY  
CN o-Acetoacetanilide, 4'-anilino- (8CI) (CA INDEX NAME)  
FS 3D CONCORD  
MF C17 H18 N2 O3  
LC STN Files: CA, CAPLUS, IFICDB, IFIPAT, IFIUDB




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1937 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 70:68180

=> d sta que l15  
 L1 STR




VAR G1=H/OH/AK/26/X/41/36  
 NODE ATTRIBUTES:  
 CONNECT IS M1 RC AT 20  
 DEFAULT MLEVEL IS ATOM  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
 RSPEC 8 3 30 37  
 NUMBER OF NODES IS 38

STEREO ATTRIBUTES: NONE  
 L3 5155 SEA FILE=REGISTRY CSS FUL L1  
 L13 STR





VAR G1=H/OH/AK/26/X/41/36  
 VAR G2=NH/51  
 VAR G3=57/53  
 NODE ATTRIBUTES:  
 DEFAULT MLEVEL IS ATOM  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
 RSPEC 30 37 6 8  
 NUMBER OF NODES IS 51

STEREO ATTRIBUTES: NONE  
 L15 3 SEA FILE=REGISTRY SUB=L3 SSS FUL L13


100.0% PROCESSED 34 ITERATIONS  
 SEARCH TIME: 00.00.01

3 ANSWERS

=> d ide can tot l15

L15 ANSWER 1 OF 3 REGISTRY COPYRIGHT 2003 ACS on STN  
 RN 353236-69-8 REGISTRY  
 CN 2-Butenamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]-, (2Z)-  
 (9CI) (CA INDEX NAME)  
 OTHER NAMES:  
 CN (Z)-N-Isopropyl-N-[4-(phenylamino)phenyl]-3-amino-2-butenamide  
 FS STEREOSEARCH  
 MF C19 H23 N3 O  
 SR CA  
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1937 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 135:152620

L15 ANSWER 2 OF 3 REGISTRY COPYRIGHT 2003 ACS on STN

RN 347895-03-8 REGISTRY

CN Butanamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]- (9CI)  
(CA INDEX NAME)

OTHER NAMES:


CN N-Isopropyl-N-[4-(phenylamino)phenyl]-3-aminobutyramide

FS 3D CONCORD

MF C19 H25 N3 O

SR CA

LC STN Files: CA, CAPLUS, CASREACT, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1937 TO DATE)  
1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
2 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 135:152620

REFERENCE 2: 135:77736

L15 ANSWER 3 OF 3 REGISTRY COPYRIGHT 2003 ACS on STN

RN 347895-00-5 REGISTRY


CN Butanamide, 3-amino-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C16 H19 N3 O

SR CA

LC STN Files: CA, CAPLUS, USPATFULL




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1937 TO DATE)  
 1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 135:77736

=> d ide can 19

L9 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS on STN  
 RN 64-19-7 REGISTRY  
 CN **Acetic acid (7CI, 8CI, 9CI)** (CA INDEX NAME)  
 OTHER NAMES:  
 CN **acetic acid**  
 CN Aci-Jel  
 CN E 260  
 CN Ethanoic acid  
 CN Ethanoic acid monomer  
 CN Ethylic acid  
 CN Glacial acetic acid  
 CN Methanecarboxylic acid  
 CN NSC 111201  
 CN NSC 112209  
 CN NSC 115870  
 CN NSC 127175  
 CN NSC 132953  
 CN NSC 406306  
 CN Vinegar acid  
 FS 3D CONCORD  
 DR 77671-22-8  
 MF C2 H4 O2  
 CI COM  
 LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMINFORMRX, CHEMLIST, CHEMSAFE, CIN, CSCHEM, CSNB, DDFU, DETHERM\*, DIOGENES, DIPPR\*, DRUGU, EMBASE, ENCOMPLIT, ENCOMPLIT2, ENCOMPPAT, ENCOMPPAT2, GMELIN\*, HODOC\*, HSDB\*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK\*, MSDS-OHS, NAPRALERT, NIOSHTIC, PDLCOM\*, PIRA, PROMT, RTECS\*, SPECINFO, TOXCENTER, TULSA, ULIDAT, USAN, USPAT2, USPATFULL, VETU, VTB  
 (\*File contains numerically searchable property data)  
 Other Sources: DSL\*\*, EINECS\*\*, TSCA\*\*  
 (\*\*Enter CHEMLIST File for up-to-date regulatory information)



## \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

78731 REFERENCES IN FILE CA (1937 TO DATE)  
3691 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
78794 REFERENCES IN FILE CAPLUS (1937 TO DATE)  
2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

REFERENCE 1: 139:126787

REFERENCE 2: 139:125121

REFERENCE 3: 139:125041

REFERENCE 4: 139:124084

REFERENCE 5: 139:124020

REFERENCE 6: 139:123934

REFERENCE 7: 139:123226

REFERENCE 8: 139:122865

REFERENCE 9: 139:122814

REFERENCE 10: 139:122811

=&gt; d ide can l16

L16 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS on STN

RN 7664-41-7 REGISTRY

CN **Ammonia (8CI, 9CI)** (CA INDEX NAME)

OTHER NAMES:

CN Ammonia gas

CN Ammonia, kiliamer

CN Ammonia-14N

CN Nitro-Sil

CN R 717

CN Refrigerent R717

CN Spirit of Hartshorn

FS 3D CONCORD

DR 8007-57-6, 208990-07-2, 214478-05-4, 558443-52-0

MF H3 N

CI COM

LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BIOBUSINESS, BIOSIS,  
BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN,  
CHEMCATS, CHEMINFORMRX, CHEMLIST, CHEMSAFE, CIN, CSCHEM, CSNB, DDFU,  
DETERM\*, DIOGENES, DIPPR\*, DRUGU, EMBASE, ENCOMPLIT, ENCOMPLIT2,  
ENCOMPAT, ENCOMPAT2, GMELIN\*, HSDB\*, IFICDB, IFIPAT, IFIUDB, IPA,  
MEDLINE, MRCK\*, MSDS-OHS, NIOSHTIC, PDLCOM\*, PHARMASEARCH, PIRA, PROMT,  
RTECS\*, SPECINFO, TOXCENTER, TULSA, ULIDAT, USAN, USPAT2, USPATFULL,  
VETU, VTB

(\*File contains numerically searchable property data)

Other Sources: DSL\*\*, EINECS\*\*, TSCA\*\*

(\*\*Enter CHEMLIST File for up-to-date regulatory information)

NH3


117785 REFERENCES IN FILE CA (1937 TO DATE)

1623 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
117872 REFERENCES IN FILE CAPLUS (1937 TO DATE)  
1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

REFERENCE 1: 139:126978  
REFERENCE 2: 139:126533  
REFERENCE 3: 139:126189  
REFERENCE 4: 139:126136  
REFERENCE 5: 139:126106  
REFERENCE 6: 139:126085  
REFERENCE 7: 139:125935  
REFERENCE 8: 139:125919  
REFERENCE 9: 139:125858  
REFERENCE 10: 139:125752

=> d ide can 126

L26 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS on STN  
RN 674-82-8 REGISTRY  
CN 2-Oxetanone, 4-methylene- (8CI, 9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 3-Butenoic acid, 3-hydroxy-, .beta.-lactone (6CI, 7CI)  
OTHER NAMES:  
CN 4-Methylene-2-oxetanone  
CN Diketene  
CN Ethenone, dimer  
CN Ketene dimer  
CN NSC 93783  
AR 6842-10-0  
FS 3D CONCORD  
DR 2130-41-8  
MF C4 H4 O2  
CI COM  
LC STN Files: AGRICOLA, BEILSTEIN\*, BIOBUSINESS, BIOSIS, CA, CAOLD, CAPLUS,  
CASREACT, CBNB, CEN, CHEMCATS, CHEMINFORMRX, CHEMLIST, CHEMSAFE, CIN,  
CSCHEM, CSNB, DETHERM\*, DIPPR\*, EMBASE, GMELIN\*, HODOC\*, HSDB\*, IFICDB,  
IFIPAT, IFIUDB, MEDLINE, MSDS-OHS, PIRA, PROMT, RTECS\*, SPECINFO,  
SYNTHLINE, TOXCENTER, USPAT2, USPATFULL  
(\*File contains numerically searchable property data)  
Other Sources: EINECS\*\*, NDSL\*\*, TSCA\*\*  
(\*\*Enter CHEMLIST File for up-to-date regulatory information)




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2564 REFERENCES IN FILE CA (1937 TO DATE)  
551 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
2565 REFERENCES IN FILE CAPLUS (1937 TO DATE)  
62 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

REFERENCE 1: 139:118330  
REFERENCE 2: 139:117261  
REFERENCE 3: 139:102592  
REFERENCE 4: 139:54322  
REFERENCE 5: 139:54284  
REFERENCE 6: 139:38119  
REFERENCE 7: 139:8327  
REFERENCE 8: 138:403245  
REFERENCE 9: 138:403240  
REFERENCE 10: 138:401721

=> d ide can 127

L27 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS on STN  
RN 3085-82-3 REGISTRY  
CN 1,4-Benzenediamine, N-(1-methylethyl)-N-phenyl- (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN p-Phenylenediamine, N-isopropyl-N-phenyl- (7CI, 8CI)  
OTHER NAMES:  
CN N-Isopropyl-N-phenyl-p-phenylenediamine  
CN N-Phenyl-N-isopropyl-p-phenylenediamine  
FS 3D CONCORD  
MF C15 H18 N2  
LC STN Files: BEILSTEIN\*, BIOBUSINESS, BIOSIS, CA, CAOLD, CAPLUS, CASREACT,  
CHEMLIST, PROMT, TOXCENTER, USPATFULL  
(\*File contains numerically searchable property data)  
Other Sources: EINECS\*\*, NDSL\*\*, TSCA\*\*  
(\*\*Enter CHEMLIST File for up-to-date regulatory information)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

53 REFERENCES IN FILE CA (1937 TO DATE)  
1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
54 REFERENCES IN FILE CAPLUS (1937 TO DATE)  
3 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

REFERENCE 1: 139:121650  
REFERENCE 2: 139:22212  
REFERENCE 3: 138:74048  
REFERENCE 4: 137:144483  
REFERENCE 5: 136:248862  
REFERENCE 6: 135:226632  
REFERENCE 7: 135:152620  
REFERENCE 8: 135:93735  
REFERENCE 9: 134:349097  
REFERENCE 10: 133:151062

=> fil hcaplus

FILE 'HCAPLUS' ENTERED AT 16:17:02 ON 17 AUG 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Aug 2003 VOL 139 ISS 8

FILE LAST UPDATED: 15 Aug 2003 (20030815/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d all hitstr tot 130

L30 ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2003 ACS on STN

AN 2001:581831 HCAPLUS

DN 135:152620

TI Method for producing acetoacetylated aromatic amines

IN Glufke, Uta; Hanselmann, Paul

PA Lonza A.-G., Switz.

SO PCT Int. Appl., 19 pp.

CODEN: PIXXD2

DT Patent

LA German

IC ICM C07C231-04

ICS C07C237-16; C07C237-10; C07C231-12

CC 25-4 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)

Section cross-reference(s): 23

FAN.CNT 1

PATENT NO.

KIND DATE

APPLICATION NO. DATE

```

PI  WO 2001056973      A1  20010809      WO 2001-EP1163      20010202
    W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
      CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
      HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,
      LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU,
      SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN,
      YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, US, US
    RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
      DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
      BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
    EP 1252134      A1  20021030      EP 2001-913783      20010202
    R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
      IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
    US 2003125392      A1  20030703      US 2002-182916      20021021
PRAI EP 2000-102418      A  20000204
    US 2000-203922P      P  20000512
    WO 2001-EP1163      W  20010202
OS   CASREACT 135:152620; MARPAT 135:152620
GI

```

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB The invention relates to a method for producing acetoacetylated arom. amines I [R1 and R2, each time they occur and independently of each other, mean hydroxy, C1-6-alkyl, C1-6-alkoxy, halogen, Ph or phenoxy; R3 means hydrogen or C1-6-alkyl; m is a whole no. from 0 to 4; and n is a whole no. from 0 to 5]. According to said method, **diketene** is reacted with a N-phenyl-p-phenylenediamine derivs. II [R1, R2, R3, m and n have the meanings given above], in the presence of 3-40% **acetic acid** and at temps. of 20 to 100 .degree.C, preferably 60 to 70 .degree.C. The invention also relates to the compds. I [R3 = C1-6-alkyl] and the enamines III that can be obtained from these by reaction with **ammonia**, and their **hydrogenation** products IV.

ST arom amine acetoacetylation; **diketene** condensation  
phenylenediamine deriv; enamine acetoacetamide prepn **hydrogenation**  
; aminobutyramide prepn

IT Acetylation  
(acetoacetylation; prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

IT Amines, preparation  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(arom.; prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

IT **Hydrogenation**  
(prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

IT Enamines  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

IT 347895-01-6P 353236-69-8P  
RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

IT 38971-14-1P 347895-03-8P



RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)

(prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

IT 64-19-7, Acetic acid, uses

RL: NUU (Other use, unclassified); USES (Uses)

(prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

IT 101-54-2, N-Phenyl-p-phenylenediamine 101-54-2D, N-Phenyl-p-phenylenediamine, derivs. 674-82-8, **Diketene** 3085-82-3, N-Isopropyl-N-phenyl-p-phenylenediamine 7664-41-7, **Ammonia**, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
RE

(1) Cherpeck, R; US 5466268 A 1995 HCAPLUS

(2) Chevron Chem Co; EP 0719762 A 1996 HCAPLUS

(3) Deutsche Gold- Und Silber-Scheideanstalt Vorm Roessler; ZA 67068521 1968 HCAPLUS

(4) Thiele, K; US 3702365 A 1972 HCAPLUS


IT 347895-01-6P 353236-69-8P

RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

RN 347895-01-6 HCAPLUS


CN Butanamide, N-(1-methylethyl)-3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)



RN 353236-69-8 HCAPLUS

CN 2-Butenamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]-, (2Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.




IT 38971-14-1P 347895-03-8P

RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)


(prepn. of acetoacetylated arom. amines via condensation of **diketene** with N-phenyl-p-phenylenediamine derivs.)

RN 38971-14-1 HCAPLUS


CN Butanamide, 3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)




RN 347895-03-8 HCAPLUS  
 CN Butanamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]- (9CI)  
 (CA INDEX NAME)




IT 64-19-7, Acetic acid, uses  
 RL: NUU (Other use, unclassified); USES (Uses)  
 (prepn. of acetoacetylated arom. amines via condensation of  
**diketene** with N-phenyl-p-phenylenediamine derivs.)  
 RN 64-19-7 HCAPLUS  
 CN Acetic acid (7CI, 8CI, 9CI) (CA INDEX NAME)




IT 101-54-2, N-Phenyl-p-phenylenediamine 101-54-2D,  
 N-Phenyl-p-phenylenediamine, derivs. 674-82-8, **Diketene**  
 3085-82-3, N-Isopropyl-N-phenyl-p-phenylenediamine  
 7664-41-7, **Ammonia**, reactions  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (prepn. of acetoacetylated arom. amines via condensation of  
**diketene** with N-phenyl-p-phenylenediamine derivs.)  
 RN 101-54-2 HCAPLUS  
 CN 1,4-Benzenediamine, N-phenyl- (9CI) (CA INDEX NAME)




RN 101-54-2 HCAPLUS  
 CN 1,4-Benzenediamine, N-phenyl- (9CI) (CA INDEX NAME)



RN 674-82-8 HCAPLUS  
CN 2-Oxetanone, 4-methylene- (8CI, 9CI) (CA INDEX NAME)



RN 3085-82-3 HCAPLUS  
CN 1,4-Benzenediamine, N-(1-methylethyl)-N-phenyl- (9CI) (CA INDEX NAME)



RN 7664-41-7 HCAPLUS  
CN Ammonia (8CI, 9CI) (CA INDEX NAME)


NH<sub>3</sub>

L30 ANSWER 2 OF 5 HCAPLUS COPYRIGHT 2003 ACS on STN  
AN 2001:507771 HCAPLUS  
DN 135:77736  
TI Compositions comprising antioxidant amines based on N-(4-anilinophenyl)amides for stabilizing lube oil additive formulations  
IN Nalesnik, Theodore E.; Duyck, Karl J.  
PA Uniroyal Chemical Company, Inc., USA  
SO PCT Int. Appl., 54 pp.  
CODEN: PIXXD2  
DT Patent  
LA English  
IC ICM C08F255-04  
ICS C08F008-32; C10M149-04; C08K005-20  
CC 37-6 (Plastics Manufacture and Processing)  
Section cross-reference(s): 51

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001049761	A1	20010712	WO 2000-US32951	20001205
	W: CA, CN, IN, JP, KR, MX, RU, US				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR				
	EP 1252209	A1	20021030	EP 2000-983908	20001205

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR  
 JP 2003519262 T2 20030617 JP 2001-550301 20001205  
 US 2003030033 A1 20030213 US 2002-168405 20020619  
 PRAI US 1999-173715P P 19991230  
 WO 2000-US32951 W 20001205  
 OS MARPAT 135:77736  
 GI



- AB An N-arom. substituted acid amide compd. selected from.  
 R1R2NC(R3)BmCON(R4)AnR5 (A and B = alkylene; R1 = H, alkyl, alkylether, or ester; R2 = H if R1 = H; R2 = alkyl primary amine if R1 = alkyl, alkylether, or ester; R3 and R4 = H and alkyl; R5 = sterically hindered phenolic group of I or PhNHPh, where X = CH2, S, NH, or O; and m, n, and p = 0 or 1) is prepd. These compns. may be used as such or they may be bound to a polymer backbone via a linking moiety. Thus, NH3 treatment of N-(4-anilinophenyl)-3-oxobutanamide in the presence of Raney Ni, and 800 psi H at 70.degree. for 2 h to give MeC(NH2)CH2CONH-p-C6H4NHPh having m.p. 130-132.degree., which can be reacted with maleated EPR to give an additive for processing lubricating oils.
- ST anilinophenyl amide amine antioxidant polymer lubricating oil  
 IT Antioxidants  
 Lubricating oil additives  
 (antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)
- IT Amides, preparation  
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
 (aryl, N-cocoalkyl derivs.; antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)
- IT Ethylene-propylene rubber  
 RL: IMF (Industrial manufacture); MOA (Modifier or additive use); PREP (Preparation); USES (Uses)  
 (maleated, reaction products with anilinophenyl amide amine; antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)
- IT 347895-00-5DP, reaction products with maleated EPR  
 347895-03-8DP, reaction products with maleated EPR  
 RL: IMF (Industrial manufacture); MOA (Modifier or additive use); PREP (Preparation); USES (Uses)  
 (antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)
- IT 347895-00-5P 347895-03-8P  
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
 (antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)
- IT 151-18-8D, 3-Aminopropanenitrile, N-cocoalkyl deriv. 38971-14-1  
 347895-01-6  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)
- IT 9010-79-1P

RL: IMF (Industrial manufacture); MOA (Modifier or additive use); PREP (Preparation); USES (Uses)  
 (ethylene-propylene rubber, maleated, reaction products with anilinophenyl amide amine; antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Exxon Chemical Patents Inc; WO 9518199 A 1995 HCAPLUS

(2) Kapuscinski, M; US 5094766 A 1992 HCAPLUS

(3) Texaco Development Corp; EP 0491456 A 1992 HCAPLUS

IT 347895-00-5DP, reaction products with maleated EPR


347895-03-8DP, reaction products with maleated EPR

RL: IMF (Industrial manufacture); MOA (Modifier or additive use); PREP (Preparation); USES (Uses)

(antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)


RN 347895-00-5 HCAPLUS

CN Butanamide, 3-amino-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)



RN 347895-03-8 HCAPLUS

CN Butanamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]- (9CI)  
 (CA INDEX NAME)




IT 347895-00-5P 347895-03-8P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)


RN 347895-00-5 HCAPLUS

CN Butanamide, 3-amino-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)



RN 347895-03-8 HCAPLUS

CN Butanamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]- (9CI)  
(CA INDEX NAME)




IT 38971-14-1 347895-01-6

RL: RCT (Reactant); RACT (Reactant or reagent)  
(antioxidant amines based on N-(4-anilinophenyl)amides and  
polymer-bound antioxidant amines for lube oil additives)


RN 38971-14-1 HCAPLUS

CN Butanamide, 3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)



RN 347895-01-6 HCAPLUS

CN Butanamide, N-(1-methylethyl)-3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)



L30 ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2003 ACS on STN

AN 1973:33932 HCAPLUS

DN 78:33932

TI 4-(Acetoacetylaminodiphenylamine in compositions for treating pain,  
fever, and inflammation

IN Thiele, Kurt

PA Deutsche Gold- und Silber-Scheideanstalt vorm. Roessler

SO U.S., 3 pp.

CODEN: USXXAM

DT Patent

LA English

IC A61K

NCL 424324000


CC 63-6 (Pharmaceuticals)

Section cross-reference(s): 25

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 3702365	A	19721107	US 1971-154202	19710617
PRAI	US 1971-154202		19710617		

GI For diagram(s), see printed CA Issue.  
 AB Low toxicity (LD50 in rats over 1000 and in mice over 3000 mg/kg body wt.)  
 pharmaceutical compns. contg. 10-500 mg 4-(acetoacetylamine)diphenylamine  
 (I) are administered by mouth, injection, or local application. E.g., 10  
 g I was dissolved in 1 l. polyethylene glycol 400 with heating, the soln.  
 dild. with water to 2 l. for injection and passed through a filter and  
 filled into 2 ml glass ampuls.  
 ST acetoacetamido diphenylamine antipyretic; analgesic acetoacetamido  
 diphenylamine  
 IT Analgesics  
 Antipyretics  
 Inflammation inhibitors  
 ((acetoacetylamine)diphenylamine)  
 IT 38971-14-1  
 RL: BIOL (Biological study)  
 (pharmaceutical)  
 IT 38971-14-1  
 RL: BIOL (Biological study)  
 (pharmaceutical)  
 RN 38971-14-1 HCAPLUS  
 CN Butanamide, 3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)




L30 ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2003 ACS on STN  
 AN 1972:530594 HCAPLUS  
 DN 77:130594  
 TI Antiinflammatory, analgesic, and antipyretic 4-  
 (acetoacetamido)diphenylamine  
 IN Thiele, Kurt  
 PA Deutsche Gold- und Silber-Scheideanstalt vorm. Roessler  
 SO S. African, 12 pp.  
 CODEN: SFXXAB  
 DT Patent  
 LA English  
 CC 63-6 (Pharmaceuticals)  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	ZA 7103728		19720104	ZA 1971-3728	19710609
GI	For diagram(s), see printed CA Issue.				
AB	Compns. contg. 4-(acetoacetylamine) diphenylamine (I) or its salts together with a carrier have strong antiinflammatory, analgesic and antipyretic effects with very low toxicity. The preps. may be administered in a variety of forms, including tablets, capsules, suppositories or injection solns.				
ST	antiinflammatory diphenylamine acetamido; analgesic diphenylamine acetamido; antipyretic diphenylamine acetamido				
IT	Analgesics Antipyretics Inflammation inhibitors ((acetoacetamido)diphenylamine)				
IT	38971-14-1 RL: BIOL (Biological study) (pharmaceutical)				
IT	38971-14-1				

RL: BIOL (Biological study)  
(pharmaceutical)

RN 38971-14-1 HCAPLUS

CN Butanamide, 3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)



L30 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2003 ACS on STN

AN 1969:68180 HCAPLUS

DN 70:68180

TI N-Aromatic substituted acid amides as analgesics

IN Thiele, Kurt

PA Deutsche Gold- und Silber-Scheideanstalt vorm. Roessler

SO S. African, 24 pp.

CODEN: SFXAB

DT Patent

LA English

CC 27 (Heterocyclic Compounds (One Hetero Atom))

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	ZA 6706852		19680627		
PRAI	DE		19661116		
	DE		19670901		


GI For diagram(s), see printed CA Issue.

AB The title compds. (I) possess analgesic properties and were prepd. by the reaction of the corresponding amine and MeC(:R1)CHR2CO2H or its deriv., or by alkylation of I (R2 = H) with alkyl halide. Complex hydride redn. of I (R1 = O) yielded I (R1 = H, OH). To a soln. of 15 g. 2-anilino-5-aminopyridine in 100 ml. dioxane was added dropwise 6.8 g. AcCH:C:O to give 11 g. 2-anilino-5-acetoacetamidopyridine (I, R1 = O, R2 = H, X = N, Y = NH, R3 = R4 = R5 = H) (Ia), m. 153-4.degree.. To a soln. of 20 g. Ia in 120 ml. dioxane and 400 ml. MeOH at 5-10.degree. was added portionwise 2.8 g. NaBH4; refluxing at 50.degree. gave 16 g. 2-anilino-5-(3-hydroxybutyramido)pyridine, m. 161-2.degree.. To 14 g. Ia was added 1.2 g. Na in 50 ml. EtOH. After refluxing 2 hrs. 8.2 g. BuBr was added and refluxing continued 8 hrs. to yield 7 g. 2-anilino-5-(2-butylacetoacetamido)-pyridine, m. 146-7.degree. (EtOH-H2O). Also prepd. were the following I (m.p. given): 4-(3-hydroxybutyramido)diphenylamine, 127-8.degree.; 3-methoxy-4-(3-hydroxybutyramido)diphenylamine, 124-5.degree.; 4-(acetoacetamido)diphenylmethane, 88-9.degree.; 4-(3-hydroxybutyramido)diphenylmethane, 110-11.degree.; 4-(2-butylacetoacetamido)diphenylamine, 142-3.degree.; 2-(4-methylanilino)-5-(acetoacetamido)pyridine, 156-7.degree.; 2-(2-methoxyanilino)-5-(acetoacetamido)pyridine, 81-2.degree.; 2-(2-ethoxyanilino)-5-(acetoacetamido)pyridine, 117-18.degree.; 2-(4-ethoxyanilino)-5-(acetoacetamido)pyridine, 152-3.degree.; 2-(3-trifluoromethylanilino)-5-(acetoacetamido)pyridine, 127-8.degree.; 2-(2,5-dimethoxyanilino)-5-(acetoacetamido)pyridine, 103-4.degree.; 2-(2-ethoxyanilino)-5-(3-hydroxybutyramido)pyridine, 138-9.degree.; 2-(4-ethoxyanilino)-5-(3-hydroxybutyramido)pyridine, 151-2.degree.; 2-(3-trifluoromethyl)-5-(3-hydroxybutyramido)pyridine, 141-2.degree.; 2-(4-ethylanilino)-5-(3-hydroxybutyramido)pyridine, 118-19.degree.; (.+-.)-4-[(3-acetoxybutyramido)diphenylamine, 138-9.degree.; and (.+-.)-4-(3-hydroxybutyramido)diphenylamine, 126-7.degree..


ST amidopyridine analgesics; analgesics amidopyridine; pyridineamido



analgesics  
 IT 21671-82-9P 21671-83-0P 21683-99-8P 21684-00-4P 21684-01-5P  
 21684-02-6P 21684-03-7P 21684-04-8P 21684-05-9P  
 21684-06-0P 21684-07-1P 21684-08-2P 21684-09-3P  
 21684-10-6P 21684-11-7P 21684-12-8P 21684-13-9P 21795-03-9P  
 21795-04-0P 23221-71-8P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (prepn. of)  
 IT 21684-02-6P 21684-06-0P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (prepn. of)  
 RN 21684-02-6 HCAPLUS  
 CN o-Acetoacetanilide, 4'-anilino- (8CI) (CA INDEX NAME)



RN 21684-06-0 HCAPLUS  
 CN Hexananilide, 2-acetyl-4'-anilino- (8CI) (CA INDEX NAME)



=> fil uspatall  
 FILE 'USPATFULL' ENTERED AT 16:17:17 ON 17 AUG 2003  
 CA INDEXING COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 16:17:17 ON 17 AUG 2003  
 CA INDEXING COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

=> d 125 bib abs hitstr tot

L25 ANSWER 1 OF 2 USPATFULL on STN  
 AN 2003:181559 USPATFULL  
 TI Method for producing acetoacetylated aromatic amines  
 IN Glufke, Uta, Basel, SWITZERLAND  
 Hanselmann, Paul, Brig-Glis, SWITZERLAND  
 PI US 2003125392 A1 20030703  
 AI US 2002-182916 A1 20021021 (10)  
 WO 2001-EP1163 20010202  
 PRAI EP 2000-102418 20000204  
 DT Utility  
 FS APPLICATION  
 LREP Fishers Christen & Sabol, 1725 K Street N W Suite 1401, Washington, DC,  
 20006  
 CLMN Number of Claims: 7  
 ECL Exemplary Claim: 1  
 DRWN No Drawings  
 LN.CNT 265  
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to a method for producing compounds of general formula (I), wherein R<sup>sup.1</sup> and R<sup>sup.2</sup>, each time they occur and independently of each other, mean hydroxy, C<sub>sub.1-6</sub>-alkyl, C<sub>sub.1-6</sub>-alkoxy, halogen, phenyl or phenoxy; R<sup>sup.3</sup> means hydrogen or C<sub>sub.1-6</sub>-alkyl; m is a whole number from 0 to 4; and n is a whole number from 0 to 5. According to said method, diketene is reacted with a N-phenyl-p-phenylenediamine of general formula (II), wherein R<sup>sup.1</sup>, R<sup>sup.2</sup>, R<sup>sup.3</sup>, m and n have the meanings given above, in the presence of 3-40% acetic acid and at temperatures of 20 to 100.degree. C., preferably 60 to 70.degree. C. The invention also relates to the compounds (I) with R<sup>sup.3</sup>=C<sub>sub.1,6</sub>-alkyl and the enamines that can be obtained from these by reaction with ammonia, and their hydration products.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 347895-01-6P 353236-69-8P

(prepn. of acetoacetylated arom. amines via condensation of diketene with N-phenyl-p-phenylenediamine derivs.)

RN 347895-01-6 USPATFULL


CN Butanamide, N-(1-methylethyl)-3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)



RN 353236-69-8 USPATFULL

CN 2-Butenamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]-, (2Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.




IT 38971-14-1P 347895-03-8P

(prepn. of acetoacetylated arom. amines via condensation of diketene with N-phenyl-p-phenylenediamine derivs.)

RN 38971-14-1 USPATFULL


CN Butanamide, 3-amino-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)



RN 347895-03-8 USPATFULL

CN Butanamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]- (9CI)

(CA INDEX NAME)



L25 ANSWER 2 OF 2 USPATFULL on STN

AN 2003:42735 USPATFULL

TI Antioxidant amines based on n-(4aniliophenyl) amides Antioxidant amines based on n-(4-anilinophenyl) Amides

IN Duyck, Karl J., Waterbury, CT, UNITED STATES

Nalesnik, Theodore E., Hopewell Junction, NY, UNITED STATES

PI US 2003030033 A1 20030213

AI US 2002-168405 A1 20020619 (10)

WO 2000-US32951 20001205

DT Utility

FS APPLICATION

LREP Daniel Reitenbach, Crompton Corporation, 199 Benson Road, Middlebury, CT, 06749

CLMN Number of Claims: 47

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 1430

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A composition of matter is disclosed wherein the composition comprises an N-aromatic substituted acid amide compound selected from the group consisting of compounds of formula (I) wherein A and B are independently selected alkylene groups; R.sub.1 is selected from the group consisting of hydrogen, alkyl alkylether, or ester; R.sub.2 is hydrogen if R.sub.1 is hydrogen; R.sub.2 is an alkyl primary amine if R.sub.1 is alkyl, alkylether, or ester, R.sub.3 and R.sub.4 are independently selected from the group consisting of hydrogen and alkyl; R.sub.5 is a sterically hindered phenolic group of formula (II) or formula (III) wherein X is CH.sub.2, S, NH, or O; and m, n, and p are independently selected integers equal to 0 or 1. These compositions may be used as such or they may be bound to a polymer backbone via a linking moiety. In either case, they are useful as antioxidants, particularly in lubricating oil compositions.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


IT 347895-00-5DP, reaction products with maleated EPR

347895-03-8DP, reaction products with maleated EPR


(antioxidant amines based on N-(4-anilinophenyl)amides and polymer-bound antioxidant amines for lube oil additives)

RN 347895-00-5 USPATFULL


CN Butanamide, 3-amino-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)




RN 347895-03-8 USPATFULL  
 CN Butanamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]- (9CI)  
 (CA INDEX NAME)




IT 347895-00-5P 347895-03-8P  
 (antioxidant amines based on N-(4-anilinophenyl)amides and  
 polymer-bound antioxidant amines for lube oil additives)  
 RN 347895-00-5 USPATFULL  
 CN Butanamide, 3-amino-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)




RN 347895-03-8 USPATFULL  
 CN Butanamide, 3-amino-N-(1-methylethyl)-N-[4-(phenylamino)phenyl]- (9CI)  
 (CA INDEX NAME)



IT 38971-14-1 347895-01-6  
 (antioxidant amines based on N-(4-anilinophenyl)amides and  
 polymer-bound antioxidant amines for lube oil additives)  
 RN 38971-14-1 USPATFULL  
 CN Butanamide, 3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA INDEX NAME)



RN 347895-01-6 USPATFULL  
 CN Butanamide, N-(1-methylethyl)-3-oxo-N-[4-(phenylamino)phenyl]- (9CI) (CA  
 INDEX NAME)



=> d his

(FILE 'HCAPLUS' ENTERED AT 15:58:33 ON 17 AUG 2003)  
DEL HIS

FILE 'REGISTRY' ENTERED AT 15:58:50 ON 17 AUG 2003 .

L1 STR  
L2 50 S L1 CSS  
L3 5155 S L1 CSS FUL  
SAV L3 KUMAR182/A  
L4 STR L1  
L5 14 S L4 SAM SUB=L3  
L6 SCR 2043 OR 2039 OR 2050 OR 2049 OR 2048 OR 2053 OR 2054  
L7 10 S L4 NOT L6 SAM SUB=L3  
L8 239 S L4 NOT L6 FUL SUB=L3  
SAV L8 KUMAR182A/A  
L9 1 S ACETIC ACID/CN  
L10 STR L1  
L11 0 S L10 SAM SUB=L3  
L12 4 S L10 FUL SUB=L3  
SAV L12 KUMAR182B/A  
L13 STR L10  
L14 0 S L13 SAM SUB=L3  
L15 3 S L13 FUL SUB=L3  
SAV L15 KUMAR182C/A  
L16 1 S AMMONIA/CN

FILE 'HCAOLD' ENTERED AT 16:09:41 ON 17 AUG 2003

L17 0 S L12 OR L15

FILE 'HCAPLUS' ENTERED AT 16:09:43 ON 17 AUG 2003

L18 5 S L12 OR L15  
L19 1 S L18 AND L8  
L20 2 S L18 AND (L9 OR L16 OR ACETIC ACID OR ACETATE OR AMMONIA OR NH  
L21 3 S L12/P OR L15/P  
L22 3 S L19,L21  
L23 2 S L18,L20 NOT L22  
L24 5 S L18-L23

FILE 'USPATFULL, USPAT2' ENTERED AT 16:11:26 ON 17 AUG 2003

L25 2 S L12 OR L15

FILE 'REGISTRY' ENTERED AT 16:11:44 ON 17 AUG 2003

FILE 'HCAPLUS' ENTERED AT 16:12:36 ON 17 AUG 2003

FILE 'REGISTRY' ENTERED AT 16:13:40 ON 17 AUG 2003

L26 1 S 674-82-8  
L27 1 S 3085-82-3

FILE 'HCAPLUS' ENTERED AT 16:14:38 ON 17 AUG 2003

L28 1 S L26,L27 AND L24  
L29 1 S (DIKETENE OR ETHENONE OR 4 METHYLENE 2 OXETANONE OR NSC 93783  
L30 5 S L24,L28,L29

FILE 'REGISTRY' ENTERED AT 16:16:20 ON 17 AUG 2003

FILE 'HCAPLUS' ENTERED AT 16:17:02 ON 17 AUG 2003

FILE 'USPATFULL, USPAT2' ENTERED AT 16:17:17 ON 17 AUG 2003